Package: KONPsurv (via r-universe)

October 30, 2026

Type Package

Title KONP Tests: Powerful K-Sample Tests for Right-Censored Data

Version 1.0.4

Date 2021-12-27

Author Matan Schlesinger [cre, aut], Malka Gorfine [aut]

Maintainer Matan Schlesinger <matan.schles@gmail.com>

Description The K-sample omnibus non-proportional hazards (KONP) tests are powerful non-parametric tests for comparing K (>=2) hazard functions based on right-censored data (Gorfine, Schlesinger and Hsu, 2020, <doi:10.1177/0962280220907355>). These tests are consistent against any differences between the hazard functions of the groups. The KONP tests are often more powerful than other existing tests, especially under non-proportional hazard functions.

License GPL (>= 2)

Imports survival,Rcpp (>= 0.12.16)

LinkingTo Rcpp

RoxygenNote 7.0.0

Encoding UTF-8

Suggests testthat

NeedsCompilation yes

Repository https://matan-schles.r-universe.dev

Date/Publication 2022-01-04 08:29:12 UTC

RemoteUrl https://github.com/matan-schles/konpsurv

RemoteRef HEAD

RemoteSha 91b90292ce58f3ed12ee390528b65f7919072c3e

Contents

KONPsurv-package 2
carcinoma 3
gastric 3
konp_test 4

Index **6**

`KONPsurv-package` *KONP Tests for Testing the Equality of K Distributions for Right-Censored Data*

Description

An implementation of the K-sample omnibus non-proportional hazrds (KONP) tests.

The KONP tests are powerful non-parametric tests for comparing K (>=2) hazard functions based on right-censored data. These tests are consistent against any differences between the hazard functions of the groups. The KONP tests are often more powerful than other existing tests, especially under non-proportional hazard functions.

Details

The package contains one function:

`konp_test`: non-parametric tests for equality of K distributions using right-censored data.

Author(s)

Author and Maintainer: Matan Schlesinger <matan.schles@gmail.com>

Author: Malka Gorfine <gorfinem@tauex.tau.ac.il>

References

Gorfine, M., Schlesinger, M., & Hsu, L. (2020). K-sample omnibus non-proportional hazards tests based on right-censored data. Statistical Methods in Medical Research, 29(10), 2830–2850. doi:10.1177/0962280220907355

Examples

```
# gastric cancer data
data(gastric)

konp_test(gastric$time, gastric$status, gastric$group, n_perm=10^3)
```

carcinoma *Urothelial carcinoma.*

Description

Survival data from a trial comparing chemotherapy versus atezolizumab in the treatment of Urothelial carcinoma.

Usage

```
data(carcinoma)
```

Format

A data frame with 625 observations (316 in the atezolizumab group and 309 chemotherapy group) with the following 3 columns:

time the observed follow-up times in days.

status the event indicators, 0=right censored, 1= event.

group the group labels, 1 = atezolizumab, 2 = chemotherapy.

References

Powles T, Dura?n I, van der Heijden MS, et al. Atezolizumab versus chemotherapy in patients with platinum-treated locally advanced or metastatic urothelial carcinoma (IMvigor211): a multicentre, open-label, phase 3 randomised controlled trial. Lancet 2018; 391: 748-757.

gastric *Gastric Cancer Data.*

Description

Survival data from a trial comparing chemotherapy versus combined chemotherapy plus radiotherapy in the treatment of gastric cancer.

Usage

```
data(gastric)
```

Format

A data frame with 90 observations (45 in each treatment group) with the following 3 columns:

time the observed follow-up times in days.

status the event indicators, 0=right censored, 1= event.

group the group labels, 1 = chemotherapy, 2 = chemotherapy plus radiotherapy.

Source

Stablein, D. M. and Koutrouvelis, I. A. (1985) A two-sample test sensitive to crossing hazards in uncensored and singly censored data. Biometrics 41, 643–652. (Page 649).

References

Gastrointestinal Tumor Study Group: Schein, P. D., Stablein, D. M., Bruckner, H. W., Douglass, H. O., Mayer, R., et al. (1982). A comparison of combination chemotherapy and combined modality therapy for locally advanced gastricarcinoma. Cancer 49, 1771-1777.

`konp_test` *KONP tests are K-sample Omnibus Non-Proportional hazards tests for right-censored data.*

Description

KONP tests are K-sample Omnibus Non-Proportional hazards tests for right-censored data.

Usage

```
konp_test(time, status, group, n_perm, n_impu = 1)
```

Arguments

`time`	A vector of the observed follow-up times.
`status`	A vector of event indicators, 0=right censored, 1= event at `time`.
`group`	A vector denoting the group labels, must contain at least two different values.
`n_perm`	The number of permutations.
`n_impu`	The number of imputations, for each imputation n_perm permutations will be executed.

Details

The KONP tests are powerful non-parametric tests for comparing K (>=2) hazard functions based on right-censored data. These tests are consistent against any differences between the hazard functions of the groups. The KONP tests are often more powerful than other existing tests, especially under non-proportional hazard functions.

Value

Three test statistics and their respective p-values are returned:

`pv_chisq` - returns the p-value based on the KONP test chi-square statistic.
`pv_lr` - returns the p-value based on the KONP test likelihood ratio statistic.
`pv_cauchy` - returns the p-value based on the KONP-based Cauchy-combination test statistic.
`chisq_test_stat` - returns the KONP test chi-squared test statistic.
`lr_test_stat` - returns the KONP test likelihood-ratio test statistic.
`cauchy_test_stat` - returns the KONP-based Cauchy-combination test statistic.

Examples

```
# gastric cancer data
data(gastric)

konp_test(gastric$time, gastric$status, gastric$group, n_perm=10^3)
```

Index

∗ **datasets**
carcinoma, 3
gastric, 3
∗ **package**
KONPsurv-package, 2

carcinoma, 3

gastric, 3

konp_test, 2, 4
KONPsurv *(*KONPsurv-package*)*, 2
KONPsurv-package, 2